





Inflecting verbs

- Returning now to the question of how the verb comes to look the way it does.
- I) Pat ate lunch.
- 2) Pat eats lunch.
- 3) Pat has eaten lunch.
- 4) Pat was eating lunch.
- 5) Pat might have been eating lunch.









might have been eating


ΤP So, at the point where, say, Prog is ŃP T first Merged into the Patstructure, its T + MŇР Inflectional feature is might unvalued. $\langle might \rangle PerfP$ It will be valued by Perf ProgP the next thing have Merged. Prog nF beWe will also assume < Pat >that an unvalued inflectional feature is v + Vuninterpretable. It eatmust be fixed. ŇΡ < eat >[ulnfl:] lunch


Agree & unvalued features


• The idea is that a lexical item might have an *unvalued* feature, which is uninterpretable as it stands and needs to be given a *value* in order to be interpretable. Agree In the configuration X[F: val] ... Y[*u*F:] F **checks** and **values** *u*F, resulting in X[F: val] ... Y[*u*F: val].


- This gives us two kinds of uninterpretable features (unvalued and regular-old uninterpretable features), and two ways to check them (valuing for unvalued features, checking under sisterhood for the other kind).
 - Unvalued [*u*F:]. Regular-old [*u*F].

 $eat_?$ So, v has a [ulnfl:] v P[v, uN, ulnfl:] V P[v, uN, ulnfl:] v Peat lunch









What has Eulnfl:], what can value Eulnfl:]

- Things of these categories have [ulnfl:] features:
 - v, M, Perf, Prog
- [uInfl:] features can be valued (via Agree) by:
- Tense features (past, present) of T. -s or -ed.
- Perf feature of Perf. -en.
- Prog feature of Prog. -ing.
- M feature of M. -Ø (silent)
- I) Pat [past] ha-d be-en eat-ing lunch.

The basic operations

- Take some lexical items (a "numeration" or "lexical array")
- Combine any two of them (Merge) to make a new item.
- Lexical items can have uninterpretable features. Merge can check these features. All of the uninterpretable features must be checked by the end of the derivation.
- Attach one to another (Adjoin).
 - Adjoin does not check features.
- Move stuff around.
 - What can you do? What con't you do? Does it check features? Why do you do it? What's really happening?

Move

- There are two basic kinds of movement. We've seen examples of each.
- One is **head-movement**, where a head moves up to join with another head.
 - Examples: V moves to v, {Perf/Prog/M} moves to T
- The other is **XP-movement**, where a maximal projection (an XP) moves up to a specifier of a higher phrase.
 - Example: The subject moving to SpecTP.

Solving a problem via movement

- We will assume that, like with Merge, Move occurs to "solve a problem." And the main problem our system has is unchecked uninterpretable features. So, Move must check features.
- We have two ways to check features so far. One of them is under sisterhood (Merge). The other is "at a distance" (Agree).
- What kind of problem could Move solve? Well, for one thing, it must not be able to solve the problem in place, without moving. Seems to need "closeness."

Two existing means of checking features

- P has a [uN] feature. Merge it with an N(P), and the [uN] feature of P is checked.
- T has a [tense:past] feature.
- Strictly speaking [tense:past] doesn't look like it's a valued [Infl] feature. We need to stipulate in addition a list of things that can value [Infl] features.

c-selection

If X[F] and Y[*u*F] are sisters, the *u*F feature of Y is checked: Y[*u*F].

inflection

If X[F] c-commands Y[uF:] the uF feature of Y is valued and checked:Y[uF:val].

Generalizing Agree

- Agree requires:
 - An uninterpretable or unvalued feature
 - A matching feature
 - Line of sight (c-command)
- And results in:
 - Valuing of unvalued features.
 - Checking of the uninterpretable features.
- Our first version of checking (sisterhood) is a special case of this more general conception of Agree.
- Except that we do want the [uN] feature of P to be checked by directly Merging P and an NP—not "at a distance" like agreement.

Strong features

- In order to check the [uN] feature of P only through Merge (sisterhood), we will define a special kind of uninterpretable feature: the strong feature.
- A strong feature can only be checked when the matching feature is on an element that shares the same mother node.
- We will write strong features with a *:
 - P [P, *u*N*]
 - C-selection features are strong.

Generalizing Agree

- Matching:
 - Identical features match. [N] matches [uN].
 - Some features match several things. [ulnfl:] can match values of the [tense] feature ([tense:pres], [tense:past]), as well as the category features [Perf], [Prog], [M].
 - What if there are two options? We'll see later that only the closest one participates in Agree.
- Valuing/Checking:
 - An unvalued feature is always uninterpretable.
 - Valuing a feature will check it.
 - A privative feature is simply checked when it matches.

Other properties of Agree (mainly relevant later)

Strong features Agree first.

• Where a single head has more than one feature that must Agree, the strong ones go first.

The system is lazy.

- Agree always goes with the closest option it can find in order to check an uninterpretable feature.
- If Agree locates a matching feature on X for one uninterpretable feature, and X has a different feature that also matches, both features will be checked.
- Examples are coming up later, but for cross-referencing: these properties are important for subject agreement.


• If:




- X has feature [F1],Y has feature [F2]
- X c-commands Y or Y c-commands X
- [F1] and/or [F2] are/is uninterpretable.
- [FI] matches [F2]
- X and Y are close enough, meaning:
 - There is no closer matching feature between X and Y.
 - If [F1] or [F2] is strong, X and Y share the same mother node
- Then:
 - Any unvalued feature ([F1] or [F2]) is valued.
 - The uninterpretable feature(s) is/are checked.

Comments on Agree


- This statement of Agree allows for several different configurations:
- [uF]...[F] [F]...[uF] [uF]...[uF] c-selection Inflection Case
- Strong features must be checked very locally.
 - Merge can provide this locality.
 - Move can also provide this locality.
 - Strong features are what motivates movement.




- When V moves to v, they combine in a way that we have been writing just as V+v. Let's be more precise.
- In fact, we assume that V head-adjoins (adjoins, head-to-head) to v. This is the same sort of structure that Adjoin creates between maximal projections.
 - The v head is replaced by the v head with V adjoined.
- Adjunction does not change projection levels—v is still a minimal projection, still the head of vP. But it is a complex head (it's a v with a V adjoined to it).




- It is still a VP, it must still have a head. The features of the VP are the features of the head (recall for example, that checking the uninterpretable feature on the head is the same as checking the uninterpretable feature on the projection of the head). The VP is still a VP, its head is still a verb (with category feature [V]), and presumably all the rest of the features as well.
- We notate the original location of the V by writing <V> (standing for the "trace" left behind by the original V). But since <V> must still be a bundle of features, the same one that was there before movement, <V> is really just another copy (or, well, the original) of the verb.



• Note: This appears to make a change *inside* the object. Merge always happens at the root. However: Think about the root. It has the features of v, its head. It is a projection of v. There is a sense in which this is still affecting only the root node, it's adjunction to its head.



- The Hierarchy of Projections says that v > VP: When you finish VP, you Merge it with v. Only then do you Move and Merge with other things. The HoP takes priority.
- When you Merge two nodes in order to satisfy the HoP, you don't get to Agree. You have to move to the next step (Merge or Move).



they "see" (c-command) the same stuff as the thing they adjoined to.

A note on node labeling

- A node is labeled as a maximal projection (XP) if there are no more strong features left to check.
 - Notice that v has [ulnfl:] even when we're finished with it and Merge it with the next head up (M, Perf, Prog, Neg, or T). But we still want there to be a vP.
 - C-selection features (like the [uN*] feature(s) of V, or the [uN*] feature of P) are always strong.

T has [uN*] ("EPP")

- V moves to v:
 - v has a [uV*] feature (always).
- Moving the subject from SpecvP to SpecTP:
 - T has a [uN*] feature (always).
 - Moving the subject (making a copy and Merging it with T) put the N feature of the subject close enough to T for the [uN*] feature to be checked.

As for why you don't satisfy the $[uV^*]$ feature of v the same way, by moving VP into SpecvP, we could speculate, but there's no particularly satisfying answer. We'll set that aside.

Only auxiliaries move to T

- I) I do not eat green eggs and ham.
- 2) I have not eaten green eggs and ham.
- 3) I have not been eating green eggs and ham.
- 4) I would not have been eating green eggs and ham.
- There is a set of things that move to T—the auxiliaries (*have*, *be*, modals). Main verbs *do not* move to T. Only the *top* auxiliary moves to T.
- Movement is driven by strong features.

Auxiliaries moving to T

- Since auxiliaries and main verbs behave differently, they must be differentiated. Suppose auxiliaries have the feature [Aux] ("the property of being auxiliaries").
- Auxiliaries move. Movement is driven by a strong feature. But what strong feature?
 - [*u*Aux*] on T?
 - No.That does not work.
 - [*u*T*] on Aux?
 - No.That would not be promising.

Auxiliaries moving to T

- Auxiliaries have a [ulnfl:] feature, valued by the next thing up.
- The topmost auxiliary has its [ulnfl:] feature valued by T.
- The topmost auxiliary is the only auxiliary that moves to T.
- An auxiliary whose [ulnfl:] feature is valued by T will move to T.
- Movement is driven by strong features.

- It appears that we need to say this:
 - If a head has the feature [Aux], and
 - If that head's [uInfl:] feature is valued by T,
 - Then the feature is valued as strong.
 - The auxiliary must move to T to be checked.
- T[tense:pres] ... be[Aux, ulnfl:] T[tense:pres] ... be[Aux, ulnfl:pres*] T[tense:pres]+be[Aux, ulnfl:pres*] ... <be>

French vs. English

 In English, adverbs cannot come between the verb and the object.

I) *Pat eats often apples.

- 2) Pat often eats apples.
- In French it's the other way around.
 - 3) Jean mange souvent des pommes. Jean eats often of.the apples 'Jean often eats apples.'
 - 4) *Jean souvent mange des pommes.
- If we suppose that the basic structures are the same, why might that be?

French vs. English

- Similarly, while only auxiliaries in English show up before negation (*not*)...
 - John does **not love** Mary.
 - John has not eaten apples.
- ...all verbs seem to show up before negation (pas) in French:
 - Jean (n')**aime pas** Marie. Jean (ne) loves not Marie 'Jean doesn't love Marie.'
 - Jean (n')a pas mangé des pommes. Jean (ne)has not eaten of.the apples 'Jean didn't eat apples.'

V raises to T in French • What it looks like is that both V and auxiliaries raise to T in French. • This is a **parametric** T values T values difference between [*u*Infl:] on [*u*Infl:] on English and French. Aux v • A kid's task is to English Strong Weak determine whether V French moves to T and whether Strong Strong auxiliaries move to T.

Swedish

- Looking at Swedish, we can see that not only do languages vary on whether they raise main verbs to T, languages also vary on whether they raise auxiliaries to T:
 - ...om hon inte köpte boken whether she not bought book-the '...whether she didn't buy the book.'
 - ...om hon inte har köpt boken whether she not has bought book-the '...whether she hasn't bought the book.'
- So both parameters can vary.
 - Remember the light box: By saying these were parameters, we
 predicted that we would find these languages.

Typology of verb/aux raising Interestingly, there don't ٠ seem to be languages that raise main verbs but not auxiliaries. T values T values This double-binary • distinction predicts there [*u*Infl:] on [*u*Infl:] on would be. Aux v • It overgenerates a smidge. English Strong Weak • This is a pattern that we French would like to explain Strong Strong someday, another mystery Swedish Weak Weak about Aux to file away. Sorry, we won't have any satisfying explanation for this gap this semester. Strong Unattested Weak •